

## Giving Shape to Ideas



High-speed print/copy output of 80 ppm in high-quality B&W Standard dual scanning handles up to 240 originals per minute

High capacity 300-sheet document feeder

INFO-Palette display for instant access to more information

Large 9" color display with quick tablet-like interface

Web browser ready with 4 GB memory

Downloadable apps to improve your productivity

Built-in Emperon® print system, universal printer drivers

Simitri® HD<sup>E</sup> toner guarantees excellent print quality

Scan to email and ftp, scan-to-me, scan-to-home convenience

Options for 2/3-hole punch, tri-fold, z-fold, post-insertion and more

EPEAT Gold-certified

# bizhub 808

MONOCHROME HIGH-VOLUME MULTIFUNCTION PRINTER

mfp





#### bizhub 808

With 80 ppm print/copy output in high-resolution B&W, standard dual scanning at up to 240 opm, multiple finishing options and enhanced touch-and-swipe interface, the bizhub 808 brings maximum productivity to high-volume document demands and in-house, on-demand printing applications.

#### System Overview

B SE-T/100-BASE-TX/1,000-BASE-T Ethernet, USB 2.0, 102.11 b/g (opt.) 10(IPV4/IPV6), NetBEUI, SMB, LPD, IPP, SNMP, HTTP 1et 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP 300 originals / 5.5" x 8.5" to 11" x 17" / 35–210 gsm 1ing/Copying: up to 11" x 17" 1ng: up to 11" x 17" full bleed on 12" x 18" paper 1n paper sizes 1r paper max.: 11.75" x 47.25" 10 gsm 1ard: 3,650 sheets / Max.: 6,650 sheets 1eets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm 1eets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm 1sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm 1sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm 1sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
SE-T/100-BASE-TX/1,000-BASE-T Ethernet, USB 2.0, 102.11 b/g (opt.) (IPV4/IPv6), NetBEUI, SMB, LPD, IPP, SNMP, HTTP let 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP 300 originals / 5.5" x 8.5" to 11" x 17" / 35–210 gsm ling/Copying: up to 11" x 17" full bleed on 12" x 18" paper ng apper sizes repaper max.: 11.75" x 47.25" 0 gsm let 3,650 sheets / Max.: 6,650 sheets lets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm letes / 5.5" x 8.5" to 12" x 18" / 52–256 gsm letes / 5.5" x 8.5" to 12" x 18" / 52–256 gsm letes / 5.5" x 8.5" to 12" x 18" / 52–256 gsm letes / 5.5" x 8.5" to 12" x 18" / 52–256 gsm letes / 5.5" x 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm letes / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm letes / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
02.11 b/g (opt.) (I(Pv4/I)Pv6), NetBEUI, SMB, LPD, IPP, SNMP, HTTP let 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP 300 originals / 5.5" x 8.5" to 11" x 17" / 35–210 gsm ling/Copying: up to 11" x 17" ng: up to 11" x 17" full bleed on 12" x 18" paper ng paper sizes r paper max.: 11.75" x 47.25" 0 gsm letts / 5.5" x 8.5" to 12" x 18" / 52–256 gsm letts / 5.5" x 8.5" to 12" x 18" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
02.11 b/g (opt.) (I(Pv4/I)Pv6), NetBEUI, SMB, LPD, IPP, SNMP, HTTP let 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP 300 originals / 5.5" x 8.5" to 11" x 17" / 35–210 gsm ling/Copying: up to 11" x 17" ng: up to 11" x 17" full bleed on 12" x 18" paper ng paper sizes r paper max.: 11.75" x 47.25" 0 gsm letts / 5.5" x 8.5" to 12" x 18" / 52–256 gsm letts / 5.5" x 8.5" to 12" x 18" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
net 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP 300 originals / 5.5" x 8.5" to 11" x 17" / 35–210 gsm sing/Copying: up to 11" x 17" ng: up to 11" x 17" full bleed on 12" x 18" paper in paper sizes r paper max.: 11.75" x 47.25" 0 gsm ard: 3,650 sheets / Max.: 6,650 sheets seets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm seets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
300 originals / 5.5" x 8.5" to 11" x 17" / 35–210 gsm sing/Copying: up to 11" x 17" ng: up to 11" x 17" full bleed on 12" x 18" paper m paper sizes r paper max.: 11.75" x 47.25" 0 gsm ard: 3,650 sheets / Max.: 6,650 sheets seets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm sheets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
ing/Copying: up to 11" x 17" ng: up to 11" x 17" full bleed on 12" x 18" paper np paper sizes r paper max.: 11.75" x 47.25" 0 gsm and: 3,650 sheets / Max.: 6,650 sheets eets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm eets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
ng: up to 11" x 17" full bleed on 12" x 18" paper m paper sizes r paper max.: 11.75" x 47.25" 0 gsm  ard: 3,650 sheets / Max.: 6,650 sheets leets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm leets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52-256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52-256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52-256 gsm
ng: up to 11" x 17" full bleed on 12" x 18" paper m paper sizes r paper max.: 11.75" x 47.25" 0 gsm  ard: 3,650 sheets / Max.: 6,650 sheets leets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm leets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52-256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52-256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52-256 gsm
n paper sizes r paper max.: 11.75" x 47.25" 0 gsm ard: 3,650 sheets / Max.: 6,650 sheets leets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm leets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52-256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52-256 gsm
r paper max.: 11.75" x 47.25" 0 gsm ard: 3,650 sheets / Max.: 6,650 sheets seets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm seets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52-256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52-256 gsm
0 gsm  ard: 3,650 sheets / Max.: 6,650 sheets seets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm seets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
ard: 3,650 sheets / Max.: 6,650 sheets seets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm seets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
eets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm eets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
eets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm eets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
eets / 5.5" x 8.5" to 12" x 18" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52–256 gsm
sheets / 8.5" x 11" / 52-256 gsm
,
sheets / 8.5" x 11" to 12" x 18" / 52-256 gsm
, ,
eets / 4" x 6" to 12" x 18" / custom paper sizes /
0 gsm
8.5" to 12" x 18" / 52-256 gsm
group, sort, staple, punch, post insertion,
half-fold, tri-fold, booklet
with finisher: 3,200 sheets
without finisher: 250 sheets
100 sheets or 94 sheets + 2 cover sheets
209 gsm)
1000 sheets
3 sheets
30 sheets (tray), unlimited
20 sheets or 19 sheets + 1 cover sheet
209 gsm)
100 sheets (tray), unlimited
300.000 pages/month <sup>1</sup>
300,000 pages/month <sup>1</sup>
40,800 pages
40,800 pages 00 pages / 1,200,000 pages (Developer)
40,800 pages

### **Printer Specifications**

Timeer opeciment	
Print resolution	1,800 x 600 dpi, 1,200 x 1,200 dpi
PDL	PCL6 (XL 3.0), PCL5c, PostScript 3 (ver. 3016), XPS
Operating systems	Windows (x32/x64): Vista / 7 / 8
	Windows Server (x32/x64): 2008 / 2008 R2 / 2012 / 2012 R2
	Macintosh OS X 10.6 / 10.7 / 10.8 / 10.9 / 10.10
	UNIX / Linux / Citrix
Printer fonts	80 PCL Latin, 137 PostScript 3 emulation
Print functions	Direct Print of PCL, PS, TIFF, XPS, PDF, encrypted PDF files and OOXML (DOCX, XLSX, PPTX), mixmedia and mixplex, "Easy Set" job programming, overlay, watermark, copy protection, carbon copy print

#### **Copier Specifications**

Copying process	Electrostatic laser copy, tandem, indirect	
Toner system	Simitri® HD <sup>E</sup> Polymerized Toner	
Print speed (8.5" x 11")	Up to 80 ppm (Portrait)	
Autoduplex speed (8.5" x 11")	Up to 80 ppm (Portrait)	
1st copy out time	3.6 sec.	
Warm-up time	Approx. 100 sec. <sup>2</sup>	
Copy resolution	600 x 600 dpi	
Gradations	256 gradations	
Multi-copy	1-9,999	
Original format	Up to 11" x 17"	
Magnification	25-400% in 0.1% steps, auto zooming	
Copy functions	Chapter, cover and page insertion, proof copy (print and screen), adjustment test print, digital art functions, job setting memory, poster mode, image repeat, overlay, stamping, copy protection	

#### Scanner Specifications

Scan speed	B&W / Color: up to 240 ipm
Scan resolution	Max.: 600 x 600 dpi
Scan modes	Scan-to-Email, Scan-to-SMB, Scan-to-FTP, Scan-to-Box, Scan-to-USB, Scan-to-WebDAV, Scan-to-DPWS, Network TWAIN scan
File formats	JPEG, TIFF, PDF, PDF/A 1a and 1b (optional), compact PDF, encrypted PDF and searchable PDF (optional), XPS, compact XPS, PPTX and searchable PPTX (optional), searchable DOCX/XLSX (optional)
Scan destinations	2,100 (shared with fax), LDAP support
Scan functions	Annotation (text/time/date) for PDF, up to 400 job programs, real time scan preview

## Fax Specifications

Fax	Super G3 (optional)	
Transmission	Analog, i-Fax, Color i-Fax, IP-fax	
Resolution	Max.: 600 x 600 dpi (ultra-fine)	
Compression	MH, MR, MMR, JBIG	
Modem	Up to 33.6 Kbps	
Destinations	2,100 (single + group)	
Functions	Polling, time shift, PC-fax, receipt to confidential box, receipt to Email/FTP/SMB, up to 400 job programs	

### **User Box Specifications**

Storable documents	Max.: 3,000 documents or 10,000 pages	
Type of user boxes	Public	
	Personal (with password or authentication)	
	Group (with authentication)	
Type of system boxes	Secure print, encrypted PDF, fax receipt, fax polling	
User box functionality	Reprint, combination, download, sending	
Contract (1880)	(Email/FTP/SMB and fax), copy box-to-box	

ste		

System Features			
Security	ISO 15408 EAL33		
	IEEE 2600.13		
	IP filtering and port blocking		
	SSL2, SSL3 and TSL1.0 network communication		
	IPsec support		
	IEEE 802.1x support		
	User authentication		
	Authentication log		
	Secure print		
	Hard disk overwrite (8 standard types)		
	Hard disk data encryption (AES 256)		
	Hard disk mirroring (opt.)		
	Memory data auto deletion		
	Confidential fax receipt		
	Print user data encryption		
	Copy protection (Copy Guard, Password Copy) (opt.)		
Accounting	Up to 1,000 user accounts		
	Active Directory support		
	(user name + password + Email + SMB folder)		
	User function access definition		
	Optional Biometric authentication (finger vein scanner)		
	Optional ID card authentication (ID card reader)		
Software	PageScope Net Care Device Manager		
	PageScope Data Administrator		
	PageScope Box Operator		
	PageScope Direct Print		
	Print Status Notifier		
	Driver Packaging Utility		
	Log Management Utility		

Maximum monthly duty cycle describes the maximum number of pages a device can output on a monthly basis. This specification is a guideline intended to offer a comparison of durability as it relates to the entire Konica Minota MFP and printer product line so that the appropriate device can be placed in order to meet customer needs

Com	ponent	ts and	Options
-----	--------	--------	---------

Components and Opti	ions
AU-102 Biometric	Finger vein scanner
authentication	
AU-205H Universal	Various ID card technologies
ID card reader	
EK-610 USB I/F kit	USB keyboard connection
EK-611 USB I/F kit	USB keyboard connection, Bluetooth
FK-515 Fax board	Super G3 fax, digital fax functionality, lines 3 & 4 support
FK-516 Fax board	Super G3 fax, digital fax functionality
FS-536 Staple finisher	50-sheet stapling, 3,200 sheets max. output
FS-536SD	50-sheet staple finisher, 20-sheet booklet finisher,
Booklet finisher	2,200 sheets max. output
FS-537 Staple finisher	100-sheet stapling, 3,200 sheets max. output
FS-537SD	100-sheet stapling, 20-sheet booklet finisher,
Booklet finisher	2,500 sheets max. output
HD-524 Hard	Back-up HDD
disk mirroring	Back-up HDD
IS-602 Job	Separation for fax output, etc.
separator for FS-537	Separation for fax output, etc.
	Extracel law has and (see views KII 102)
Keyboard	External keyboard (requires KH-102)
KH-102	To place USB keyboard
Keyboard holder	Francisco do Levil of Land box
KP-101 10-Key pad	For use instead of touchscreen
LK-102 v3	PDF/A, PDF encryption, digital signature
PDF enhancements	
LK-104 v3	Provides voice guidance functions
Voice guidance	
LK-105 v3	Searchable PDF
OCR text recognition	
LK-106	Supports native barcode printing
Barcode fonts	
LK-107	Supports native Unicode printing
Unicode fonts	
LK-108	Supports native OCR A and B font printing
OCR A and B fonts	
LK-110 Enhanced	Generates various file formats incl. DOCX, XLSX
image support	and combines LK-102 (encrypted PDF) + LK-105
	(searchable PDF/OCR functionality)
LK-111	Print data compression for reduced network impact
ThinPrint® Client	
LU-205	8.5" x 11" to 12" x 18", 2,500 sheets, 52-256 gsm
Large capacity tray	
LU-303	8.5" x 11", 3,000 sheets, 52-256 gsm
Large capacity tray	
MK-735 Mount kit	Installation kit for ID card reader
MK-742 Mount kit	Installation kit for FK-515 fax board
OT-508 Output tray	Output tray used instead of finisher
PI-507 Post inserter	Cover insertion, post finishing
for FS-537	
PK-520 Punch kit	2/3-hole punching, autoswitching
for FS-536	
PK-523 Punch kit	2/3-hole punching, autoswitching
for FS-537	
RU-515 Relay unit	Required for the FS-537/FS-537SD
and the second s	and FS-536/FS-536SD
SC-508 Security kit	Copy Guard function (2x required)
UK-212	Wireless LAN to network connector
UK-501 Multi-feed	Detects multi-feeding in the document feeder
detection kit	becook mate recalling in the document recael
	Authentication device placement
WT-506 Working table	Authentication device placement
WT-513 Working table	Used to mount the control panel in an upright position
ZU-609 Z-fold unit	Z-fold for 11" x 17" prints, 2/3-hole punching
for FS-537	

 $<sup>^{\</sup>rm 2}$  Warm-up time may vary depending on the operating environment and usage

<sup>&</sup>lt;sup>3</sup> Certification pending



# Partnership.

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

Information Management	IT Services	Technology
Enterprise Content Management (ECM)	Application Services	Office Multifunction Business Solutions
Document Management	Cloud Services	Commercial and Production Printers
Automated Workflow Solutions	IT Security	3D Printers
Business Process Automation	Managed IT Services	Wide Format Printers
Security and Compliance	IT Consulting & Projects	Laptops, Desktops and Computer Hardware
Mobility		Servers and Networking Equipment
		Managed Print Services (MPS)
		Managed Enterprise Services

© 2016 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA logo, bizhub and Giving Shape to Ideas are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks or organizations. All features and functions described here may not be available on some products. Design & specifications are subject to change without notice.



KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.

CountOnKonicaMinolta.com



